

Refine Search

Search Results -

Terms	Documents
L16 and (data with identifiers or data near identifiers or data adj identifiers or data near "id" or records)and list	17

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:



Refine Search

Recall Text



Clear

Interrupt

Search History

 DATE: Monday, June 12, 2006 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L19</u>	L16 and (data with identifiers or data near identifiers or data adj identifiers or data near "id" or records)and list	17	<u>L19</u>
<u>L18</u>	L16 and (data with identifiers or data near identifiers or data adj identifiers or data near "id" or records)	19	<u>L18</u>
<u>L17</u>	L16 and (data with identifiers or data near identifiers or data adj identifiers or data near "id")	8	<u>L17</u>
<u>L16</u>	L15 and table	27	<u>L16</u>
<u>L15</u>	L14 and (smart with trigger or smart near trigger or smart adj trigger)	84	<u>L15</u>
<u>L14</u>	(financial near service near organization or financial with service with organization or financial adj service adj organization or bank or financial near institution or financial with institution or financial adj institution)	290585	<u>L14</u>
<u>L13</u>	707/3	8682	<u>L13</u>
<u>L12</u>	707/201	3162	<u>L12</u>

L11 707/104.1
L10 707/102
L9 707/101
L8 707.clas.
L7 705.clas.
L6 705/45
L5 705/42
L4 705/38
L3 705/36
L2 705/35
L1 705/1

6171 L11
7746 L10
4899 L9
35180 L8
42362 L7
331 L6
664 L5
1018 L4
1437 L3
2471 L2
5851 L1

END OF SEARCH HISTORY

[First Hit](#) [Fwd Refs](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

Generate Collection

Print

L18: Entry 17 of 19

File: USPT

May 6, 2003

DOCUMENT-IDENTIFIER: US 6557752 B1

TITLE: Smart card for recording identification, and operational, service and maintenance transactions

Brief Summary Text (5):

Credit/debit cards, automated teller machine (ATM) cards, and security identification (ID) cards are well known and in common use today. These cards typically have a magnetic strip containing user identification information that identifies the holder of the card. Upon being read by a conventional reader, the holder of the card is allowed access to credit, his/her funds at a bank, or a secure portion of the building, depending on the nature of the card. Smart cards differ from these other types of cards in that they can be updated to store new information or to change information that is no longer correct. Thus, smart cards would typically be used in applications where more than storage of user information is required.

Brief Summary Text (6):

U.S. Pat. No. 5,459,304 to Eisenmann discloses a smart card and smart card techniques for motor vehicle record administration. In Eisenmann, a smart card stores and updates a variety of different types of information that is unique to a particular motor vehicle operator. For example, the card, in addition to storing identification information such as driver's license registration and motor vehicle registration, is designed to store and update information such as dates of environmental inspection for the car, number and time of traffic tickets, automobile insurance, highway toll account balance, and parking garage entry, exit, and account balances. The Eisenmann invention is specifically designed for managing and simplifying a particular individual's records pertaining to his or her use of an automobile.

Brief Summary Text (7):

During the life-time of a machine from production to disposal it is subject to numerous transactions or events that can alter the operational specifications for which it was designed. Depending on the machine, currently, such information is maintained in a distributed form on paper records or disjointed electronic databases that are maintained by the makers, owners, operators or servicing agents of the machine. These records are often subject to physical or electronic loss and always require "purposive" or "positive" actions on the part of the makers, owners, operators or servicing agents to record each transaction involving the machine. These records are also scarcely integrated in the machine or its immediate operating environment. Due to the fact that different types of information may be recorded by different servicing agents, these records are often incomplete, incompatible and subject to variations that complicate the record keeping and information retrieval of transactions involving the machine. Retrieving these records involves searches in multiple databases or files that are designed to serve the provider of the service rather than the machine itself or its owner/operator. It also, occasionally, involves dependence on parties that have a vested interest in determining or affecting the use or servicing necessary of the machine (e.g., the suppliers and service agents of the machine may have their own records on machines to assist them in tracking records, suggesting servicing operations etc.).

Brief Summary Text (8):

To achieve the purpose of better use of machinery and to serve the interest of the owner, operator, service provider or manufacturer of such machinery, it is desirable to have an independent system which fully contains all information that may impact the maintenance and operation of the machine during its life-time. Such a system should desirably be effortless to the owner(s), servicing agent(s), and point(s) of interaction of this machine with human operated or automated systems. Furthermore, this system should desirably be able to notify the owner of necessary maintenance/service operations which may affect its designed performance, warranty/insurance etc. Most conveniently, such a system should be integrated into the machine (where feasible) or be of small physical size requiring no effort to carry on the part of the owner/operator. Furthermore, it is desirable for such system to serve the best interest of the owner/operator of the machine by having immediate and concise access to information without the dependence on other parties such as service providers that may have vested interest in the choices of handling aspects of machine operation. It may also be appreciated that a well maintained record of a machine can significantly improve its operation during its life-time and can lead to financial and material savings, value preservation, in addition to maintaining performance close to its designed specifications.

Brief Summary Text (11):

According to the invention, a computer readable/writable smart card is used for the book-keeping of maintenance, service and operational records of a machine during its life time. Preferably, a smart machine card (SMC) is associated with one or more machines at the time of purchase/production and is initialized with relevant identification and servicing information so that the complete life history of the specific associated machine can be tracked; however, a new smart card can be associated with an existing machine after purchase/production for tracking all future events in the life of the particular associated machine by providing the smart card with identification and servicing information. The smart machine card is equivalent to the machine owner/operator's summary of significant events in the life-time of a machine. Maintenance services and operations that are deemed to have the potential to alter the performance specifications of the machine or benefit the machine or its operators are recorded on the smart machine card. The smart machine card can also hold a debit/credit value associated with the machine, information about relevant regulated performance, warranty/insurance information, and a variety of other information. The smart machine card is used in conjunction with a smart machine card reader/writer using physical or wireless communication protocol to record information pertinent to transactions. The smart machine card may also interface to a computer-based reader/writer that produce an electronic or printed output representing the plurality of the contents of the card and information deemed to affect the intended performance of the machine.

Detailed Description Text (12):

A machine 1000 can be involved in one or multiple events as indicated by 1030. Examples of events include maintenance/service, operational, debit/credit, warranty/insurance transactions or regulation compliance. To simplify the high level representation we employ one entity to represent such transactions. Some of the attributes may not be required for some events as will become clear in the detailed description of this invention. The following attributes can be used to describe an event. Event identification code 1031 is a unique identifier of an event that is generated by the smart machine card server for internal tracking of events. Event number 1032 is a unique identifier of an event that is generated by the provider (creator) of an event. Event type 1033 identifies the type of an event. This attribute is required to identify and group events such as maintenance/service, operational, debit/credit, regulatory and insurance/warranty events. Start effective date/time 1034 is the date/time at which an event becomes effective. End effective date/time 1035 is the date and time when an event ends. Event volume 1036 records information on events that require registering specific

volumetrics. For example, an operational event requires the usage of certain energy e.g., gasoline, in such an event the volume records the amount of gasoline acquired to operate the machine. Event outcome 1037 describes the outcome of an event such as success or failure. Machine life-time counter 1038 is a number that represents a landmark in the life-time of the machine. Total cost 1039 is the amount incurred to perform the event. Labor cost 1040 is the cost of the event's labor. Date/time 1041 indicates the date/time at which the event occurred. Security level 1042 indicates a security level assigned to the event by the smart machine card environment. Event location 1043 provides a code identifying where the event has taken place. An event may be related to another event, hence the recursive relationship. For example, a maintenance event can be linked to a follow up event and can be used as a reminder event.

Detailed Description Text (16):

FIG. 2 shows the storage of data on the smart machine card, local and remote/central databases. The information on the machine 190 is designed to be stored on the smart machine card with possible backup on either of local or central databases. The smart machine card memory 191 stores the complete record of transactions involving the card such as is shown in FIG. 3.

Detailed Description Text (19):

With reference back to FIG. 2, the local database 192 resides in the immediate vicinity of the system that interacts with the smart machine card. It has limited storage space that allows saving records of transactions. The remote/central database 193 has virtually unlimited capacity to store information on multiple smart machine cards. It usually does not reside in the vicinity of the smart machine card interface. The interaction and data exchange 194 among the smart machine card memory 191, local database 192, and remote/central database 193, are matters well known to those skilled in the art.

Detailed Description Text (25):

The smart machine card 106 stores and administers identification, servicing, functional, operational, and maintenance/service transaction records related to one or more machines during their life-time. These records include a plurality of entities selected from the top categories: machine identification information 100, machine maintenance/service information 101, machine operational information 102, machine associated debit/credit information 103, machine regulated performance information 104, machine warranty/insurance information 105, and machine scheduled service information 105b. These records are duplicated for as many machines as the smart machine card needs to contain.

Detailed Description Text (26):

The smart machine card 106 encompasses an architecture that is intended to cover the records that can be essential or useful to the identification, servicing, operation and maintenance of the machine. To serve this purpose, machine identification information 100 contains machine identification information that is sufficient to uniquely identify a particular machine from all other machines made before or after its production time. The identification information should desirably be sufficient to identify a machine without external information source; which means that a sufficient part of the identification is resident on the smart machine card and can be retrieved by a user by communication means alone without database, external communication (over a communication link), or a computer equipped with additional information. It should be understood that availability of one or more of the database, external communication (over a communication link), or a computer equipped with additional information can reduce the necessary identification information saved on the smart machine card. Furthermore, machine 100 includes ownership information of the machine and a unique servicing code.

Detailed Description Text (27):

More specifically, with reference to FIG. 6, the preferred embodiment includes the

machine maker's identification code 200 which uniquely identifies the maker of the machine or the recognized legal entity that serves as a maker of the machine from all other makers of all other machines. The date of production of the machine 201 records the date/time which the machine was produced. The location of production of the machine 202 identifies the site at which the machine was produced. The model code of the machine 203 represents a unique code that is used to associate this machine with similar machines and uniquely distinguish this machine from machines that are not similar. The serial number of the machine 204 represents a unique number used to identify this particular machine, usually in the records of the producer of the machine. The smart machine card servicing code 205 represents a unique number assigned to the particular machine and therefore to its smart machine card by an authority over the smart machine card. A machine authorization level is associated 219 with each machine. The location of sale of the machine 220 records the site code where the machine was purchased by its owner. This authorization may allow a smart card interface or other computer-based smart machine card interface unit to recognize whether they should service the machine based on the validity of its authorization. The machine's operator identification information 206 is meant to identify information on entities (individuals, organizations, other hardware or software) that are recognized as operators of the machine. The primary owner name 207 represents the name of the owner of the machine (individuals, organizations, other hardware or software that can be owners). The primary owner identification number 208 is a number that uniquely identifies the owner from all other entities that may serve as owners. This number can, for example, be the social security number in the case of individuals. The primary owner's password 209 is a unique identifier known only to the owner of the machine. The date of purchase of the machine 210 records the date/time at which the machine was purchased by its current owner. The number of secondary operators 211 identifies the number of authorized operators of the machine. The secondary operators names 212 represents a list of all the names of the authorized operators of the machine. The secondary operators identification number 213 includes a list of all the numbers that uniquely identify each one of these operators from all other entities that may serve as operators. This number can, for example, be the social security number. The secondary operators passwords 214 is a list of unique identifiers that associate each password with a secondary operator, this password is known only to the particular secondary operator or an entity authorized by the owner. The machine's former owners' identification information 215 records ownership history for the machine. The number of former owners 215 allows identifying the records of previous owners, their names 216, identification number 217 and date of purchase 218 (also considered the ownership date) are recorded.

Detailed Description Text (30):

As can be seen in FIG. 3, the category of machine maintenance/service information 101 contains a brief history of records related to periodic, scheduled, on-the-spot, recall, or emergency maintenance/service transactions that the particular machine has been involved in since its production/sale or anytime thereafter. Maintenance transactions can be sought by the machine (by software or hardware means) initiated by its owner, operator or maintainer, or by a recall of the maker or servicing agent of the machine. A maintenance/service transaction can involve either hardware or software upgrades on a periodic basis or due to servicing necessity as the machine is suspected not to be performing according to its intended operational plan or is recommended by a skilled technician to be serviced.

Detailed Description Text (31):

More specifically, with reference to FIG. 7, the preferred embodiment includes the service provider's identification number 250 that is a number that uniquely identifies the provider from all other providers. The date of the service 251 records the date and time of the service. It should be recognized that this date and time can be extended to encompass longer durations if needed. Provider's authorization code 262 indicates the types of access the provider can use to engage

the smart card. The actual service provider's code 263 identifies the individual/organization within the service provider's organization. The service report information 252 represents various fields that record details on the nature of service. There are multiple records of the information provided in 253-261, in particular as many as hardware/software parts are involved in the transaction. The component maker's code 253 uniquely identifies the maker of the component. The component serial number 254 identifies the hardware/software component that is involved in the maintenance/service operation. A unique number is assigned to this component to uniquely identify it from all other components. The service code 255 uniquely identifies the service associated with the component involved in the maintenance/service operation. The cost of the component 256 stores the cost of the component without labor. The warranty/insurance code of component/labor 257 serves as a code to the extent of warranty/insurance associated with the maintenance/service operation in question in respect to the particular component and labor. The cost of labor of the part service is given by 258. The miscellaneous cost 259 represents any associated cost of the operation that is not reflected in the cost of the component or the labor associated with the maintenance/service operation. The cause of failure code 260 records the believed cause of the failure of the component. The time reference code in the machine life-time 261 records a code that uniquely identifies the maintenance/service operation in the life-time of the machine.

Detailed Description Text (32):

With reference back to FIG. 3, the category of machine operations information 102 contains a history of records related to the operations performed by the machine or on the machine by its owner or operator. These records are meant to capture information on machine operations that affect its life-time performance or its ongoing performance. This category can also be used to save the entire record of all operations regardless of impact on its life-time performance.

Detailed Description Text (33):

FIG. 8 shows the number of operational transactions stored on the smart machine card is given by 300. For each one of these transactions several data items are saved. The transaction code 301 uniquely identifies the particular transaction from any other operational transaction. The transaction date 302 records the date/time of the transaction. If the duration of the transaction is significant, two dates can be recorded, to identify beginning and ending of the transaction. The transaction cost 303 records the cost associated with the transaction. The transaction provider identification number 304 uniquely identifies the provider of the particular service. The provider can be individuals, organizations, machine, hardware or software. The transaction amount 305 records a quantity that may be associated with the operation if such exists in the context of the particular operation.

Detailed Description Text (34):

FIG. 3 shows that the category of machine associated debit/credit information 103 contains information on past, current and future debit/credit that is associated with the machine. This debit/credit can be updated over time so that it may reflect the amount of use of the machine, its performance, its service cost, etc. More specifically, with reference to FIG. 9, the preferred embodiment includes the debit/credit grantor's identification number 350 that is a number that uniquely identifies the provider from all other entities. The date of debit/credit issuance 351 records the date/time of the issuance of the current debit/credit by the grantor. The date of expiration of the debit/credit 352 records the date/time of the expiration of the debit/credit grantor's commitment to the debit/credit value. The debit/credit inclusion codes 353 identifies codes of inclusion to the debit/credit issued. This usually identifies the codes underwhich the debit/credit will be respected by the grantor. The debit/credit exclusion codes 354 identifies codes of exclusions to the debit/credit. These are explicit codes underwhich the debit/credit cannot be accepted. The debit/credit amount left on the machine's

account balance 355 records the remainder value of the debit/credit, this is the value that can be used in current or future transactions. The debit/credit password 356 is a unique code provided to the machine or its operator by the grantor, generally, to guarantee that only the authorized entity (the machine, operator, etc.) is able to utilize the debit/credit associated with the smart machine card. The debit/credit type code 363 indicates the category type of debit/credit provided by the grantor. Debit transactions records 357 store the number of debit/credit related operations performed with respect to the machine. Each debit/credit operation is further elaborated by fields 358-362. The debit/credit transaction code 358 identifies the code of each debit/credit transaction recorded. This code is issued by the servicing/issuer of the smart machine card. The date/time of the transaction 359 records the date/time at which the debit/credit transaction occurred. If the duration of the transaction is significant, two dates/times can be used to identify beginning and ending of the transaction. The provider identification code 360 uniquely identifies the entity that provided the debit/credit operation with service. The debit/credit transaction amount 361 records the amount of the debit/credit used in the debit/credit operation. The service code 362 is a code used to identify this particular debit/credit transaction from all other debit/credit transactions and is generated by the provider of the debit/credit transaction.

Detailed Description Text (35):

FIG. 3 also shows that the category of machine regulated performance information 104 contains records identifying the different regulations for the performance and method of operation of the machine. These regulations can be created by the producer, owner, organization, city, county, district, state, federal, union or an authority concerned with the performance, deployment or operation of the machine. The regulation records on the smart machine card can be updated to reflect changes in regulation only by the authority that administers the regulation code. More specifically, with reference to FIG. 10, the preferred embodiment includes the regulator's identification code 400, that is a number that uniquely identifies the regulator from all other regulator entities. The machine identifier in regulatory records 401 is a code that uniquely identifies this particular machine from other machines registered with the regulator. Regulatory article numbers that apply to the machine 402 include the codes of all regulation articles that apply to the particular machine, its hardware, software, operation or performance. Regulatory compliance events 403 store the number of compliance events relative to the applicable codes 402 and the performance of the machine on each item. Each record encompasses information items 404-408. Regulatory code 404 identifies the code of the regulation in this record. Compliance amount 405 is a measure associated with the regulation represented in code 404 of the machine compliance with the applicable code 402. The date/time of occurrence of the regulatory compliance event is given in 406. The date/time of compliance 407 is a date provided by the examiner or enforcing authority of regulation code 404. Examiner's identification code 408 uniquely identifies the examiner or the authority that evaluated the regulation identified by code 404.

Detailed Description Text (36):

FIG. 3 shows the category of machine warranty/insurance information 105 contains records identifying the type and nature of warranty/insurance associated with the machine. The warranty/insurance can be given by an authority such as the producer, owner, organization, city, county, state, federal, union or a party that is recognized at the time of the production, sales or anytime thereafter of the machine. More specifically, with reference to FIG. 1 the preferred embodiment includes the warranty/insurance grantor's identification code 450 that is a number that uniquely identifies the provider from all other entities. The starting date of the warranty/insurance issuance 451 records the date/time of the issuance of the current warranty/insurance by the grantor. The date of expiration of the warranty/insurance 452 records the date/time of the expiration of the warranty/insurance grantor's commitment to the warranty/insurance terms. The

warranty/insurance inclusion codes 453 identifies codes of inclusion to the warranty/insurance issued. This usually identifies the codes under which the warranty/insurance will be respected by the grantor. The warranty/insurance exclusion codes 454 identifies codes of exclusions to the warranty/insurance. The warranty/insurance service records number 455 identifies the number of service operations performed under the warranty/insurance issued to the machine that are stored on the smart machine card. Warranty service code 456 uniquely identifies the service operation performed under the warranty/insurance terms. The date of service 457 records the date/time of the warranty/insurance service. This date should be understood to encompass longer durations if needed. The provider identification code 458 uniquely identifies the entity that provide the warranty/insurance service from all entities that can provide warranty/insurance services.

Detailed Description Text (40):

The computer 124 includes a conventional memory device (random access memory (RAM), read only memory (ROM), and/or a data storage device), into which is loaded a communication link table. The memory is organized to include a file update buffer for storing one or more files until such time as the file or files is or are transmitted from the computer terminal over a communications link. The communications link table contains a list of file identifiers. Each file identifier is associated with a communications link specification setting forth a category of communications link, and an access address for the communications link. Illustrative categories of communications include direct, dedicated, real-time, hardwired links, conventional landline telephonic links; conventional cellular telephonic links; point-to-point microwave links; and the like. The access address sets forth information which is sufficient to uniquely specify a given communications link. For example, in the case of a conventional landline or cellular telephonic link, the access address would include the telephone number of the link. In the case of a direct, dedicated, real-time, hardwired link, the access address would include a network address and/or the address of a communications port which couples the hardwired link to the computer terminal. Conventional landline telephone communications link 127b couples computer 124 to a corresponding centralized database computer such as first centralized smart machine card service center computer 129 through modem 128. It should be understood that more than one centralized smart machine card service center computer 129 can exist, and the choice of one center is for illustrative purposes only. The smart machine card service center serves as a backup and for universal tracking of events of smart machine cards.

Detailed Description Text (43):

FIG. 13 expands upon FIG. 12 and illustrates a preferred hardware environment for the operation of the smart machine card which allows storing and retrieving information on the smart machine card at point-of-service locations. Point-of-service locations include all locations at which the machine is rendered a service or examination. More specifically such locations include the point-of-purchase location of the machine, maintenance provider's outlets or their portable servicing environment, points where the machine is exposed to operations of types relevant to its records as detailed in the data-structure architecture of the smart machine card (see FIG. 3), warranty provider's outlets or their portable servicing environment and the grantors of the warranties outlets or their portable servicing environment, regulator's outlets or their portable servicing environment, and debit servicing outlets or their portable servicing environment and the grantors of such debit. Also, this preferred hardware environment for the operation of the smart machine card can be present at points at which the smart machine card can be used to print out its contents or trigger maintenance operations.

Detailed Description Text (46):

The smart machine card of this invention is designed to interact with various machines, individuals or organizations via its smart card interface. The records maintained on the smart machine card can be of vital importance to the machine, its

owners or operators. These records presented in FIG. 3 are physically stored to accommodate the event types that can occur to the machine and need to be stored on the smart machine card. Each event type has particular levels of data management associated with it. Also, each event field is protected in a consistent way with the purpose served by the smart machine card.

Detailed Description Text (48):

FIG. 15 details the different passwords that are resident on the smart machine card. There are four types of passwords 800 associated with different entities that reside on the smart machine card. The card issuer password 801 is initialized by the issuer at the time of smart machine card issuance, normally at times such as the time of production, sale or set-up of the particular machine(s) and the smart machine card it is designed to identify. Preferably, the password cannot be changed during the life-time of the smart machine card. The machine owner's password 802 is initialized by the issuer or an authority representing the issuer normally at the time of production or sale of the particular machine(s) and the smart machine card it is designed to identify. Once created, this password preferably can be rewritten only by the issuer or an authority representing the issuer. Such change can be needed if the owner's password is lost or the owner changes. The machine's password 803 is initialized by the issuer or an authority representing the issuer normally at the time of production or sale of the particular machine(s) and the smart machine card it is designed to identify. Once created, this password can be rewritten only by the issuer or an authority representing the issuer. The service provider's password 804 is initialized by the issuer or an authority representing the issuer normally at the time of production or sale of the particular machine(s) and the smart machine card it is designed to identify. Once created, this password preferably can be rewritten only by the issuer or an authority representing the issuer. Such change can be needed if the service provider's password has changed and the provider is to maintain its ability to service the machine and have records saved on the smart machine card. It should be appreciated that more passwords can be used to accommodate specific users or needs. FIG. 15 only shows a small set of the possible types of passwords which can be used in the practice of this invention to regulate the access to the smart machine card and the information it holds. These passwords can be viewed as authorization levels for representing entities interacting with the smart machine card.

Detailed Description Text (50):

FIG. 16 shows the physical layout of data into files in a preferred embodiment. Machine identification information directory 700 represents a directory which holds all information and records that identify the machine, the owner, the operators, and prior owners of the machine. The number of machines associated with the smart machine card 713 indicates the number of records of machines associated with the particular smart machine card. There are as many records in directory 700 as recorded in the number of machines 713. There are three subdirectories representing permanent files 701, operators files 702 and former owners files 703. Permanent files 701 include information that uniquely identifies the associated machine(s) of the smart machine card. The information in this directory can be read freely and cannot be rewritten after the card has been issued as described in 822. Each record in 716, namely 704 holds the following information (discussed above in connection with FIG. 6): makers identification code 200, date of purchase 201, location of production 202, date of purchase 203, model code 204, serial number 205, smart machine card servicing code 206, the location of sale 220 and machine's password 219.

Detailed Description Text (51):

With reference to both FIGS. 6 and 16, operators files 702 include information that uniquely identifies the owner and operators of the machine with which the smart machine card is associated. The information in this directory 705 is protected in several modes. The primary owner name 207, identification number 208 and the date of purchase 210 can be freely read 706 and can be written multiple times by the

- . issuer or an authority designated by the issuer. The primary owner password 707 is read-privileged but can be written multiple times by the issuer or an authority designated by the issuer. The number of operators of the machine 708 indicates the number or records of operators saved in this directory 705. Each one of this records, for example 711, includes the secondary operator name and identification number 709, protected as free for readings and multiple-times writing is allowed by the issuer or an authority designated by the issuer using a proper password. Secondary operators record includes also a secondary operator's password 710 which is read-privileged but can be written multiple times by the issuer or an authority designated by the issuer. There can be several operators, indicated by 708, having records of the kind described in 711. There are multiple operational files 705, a file for each machine stored on the smart machine card.

Detailed Description Text (52):

Former owners files 703 include information on former owners of the machine. The information in this directory can be read freely, but the writing is preferably once-only and can be executed by the issuer or an authority designated by the issuer using a proper password. The number of such owners 714 can be used to indicate the number of records on these former owners that are stored on the smart machine card. There are as many records of 712 as indicated by the number of former owners 714, each of these records 712 includes the former owner name 216, identification number 217 and former owner date of purchase 218 of the machine.

Detailed Description Text (53):

FIG. 17 shows the layout of files related to records of maintenance/service transactions. The directory of maintenance/service records stored on the smart machine card 720 contains the number of records of maintenance/service 723 stored on the smart machine card and the respective number of maintenance/service records such as 721 and 722. The number of records of maintenance/service 723 is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password authorized. Each maintenance/service record such as maintenance/service record 721 contains a field identifying the service provider 724 (for example by a code), the actual service provider 730, the date of service 725 (including the time of transaction if applicable), the number of parts involved in the transaction 726 and a full record 729, such as 727 and 728, of these parts. Each part record such as 727 and 728 involve recording the following information related to the part. Specifically, these information items are: component serial number 253 (see FIG. 7), component maker code 254, service code 255, cost of component 256, warranty/insurance code on component and labor 257, labor cost 258, miscellaneous cost 259, cause of failure code 260 and time code in the machine life-time 261. It should be appreciated that the records described in 727 are but a select set of information on the maintenance/service transaction and they can be modified to accommodate the specifics of a machine and its maintenance/service.

Detailed Description Text (54):

FIG. 17a shows the layout of files related to records of scheduled services of the machine. The directory of scheduled services of the machine stored on the smart machine card 790 contains the number of scheduled services 798 of the machine such as 791 and 792. The number of scheduled services is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. Each scheduled service such as scheduled service 791 contains a field identifying the service transaction code 793, service transaction date 794, time code in the life-time of the machine 795, the identification code of the service recommender 796, and the scheduled service identification number 797 (see FIG. 7a).

Detailed Description Text (55):

FIG. 18 shows the layout of files related to records of operational transactions. The directory of operational records stored on the smart machine card 730 contains

the number of records of operational transactions 738 stored on the smart machine card and the respective number of operational records such as 731 and 732. The number of operational records 738 is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. The writing of operational records is once-only by authorized entities. Each operation record such as operational record 731 contains a field identifying the transaction by code 733, the date of the transaction 734 (including the time of transaction if applicable), transaction cost 735, transaction provider identification code 736 and transaction amount 737 as detailed earlier in reference to FIG. 8. Operation record 732 is similar to operation record 731 but describes the last operation stored on the smart machine card.

Detailed Description Text (56):

FIG. 19 shows the layout of files related to debit/credit associated with the machine and recorded on the smart machine card. The directory of associated debit/credit records 740 stored on the smart machine card contains the number of debit/credit grantors to the machine and the respective number of debit/credit areas such as 742 and 743. The number of grantors 750 of debit/credit is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. Each debit/credit area such as debit/credit areas 742 and 743 contains four main files describing the aspects related to the debit/credit granted by the grantor and associated to the machine, namely debit/credit information records 744, number of debit/credit transactions 745, debit/credit password 746 and the stored records of these transactions 749. The debit/credit information records 744 as described in FIG. 9 are: debit/credit grantor identification code 350, debit/credit issue date 351, debit/credit expiration date 352, debit/credit inclusion codes 353, debit/credit exclusion codes 354, debit/credit amount left on balance 355, and debit/credit type code 363. The records 744 and 745 are freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. The debit/credit password 746 is read-privileged and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. The number of debit/credit transactions 745 indicates how many debit/credit transactions are associated with debit/credit area 742 are recorded on the smart machine card. Each record, such as 747 and 748 comprises information detailed earlier in FIG. 9, specifically this information includes: debit/credit transaction code 358, date and time of the transaction 359, provider identification code 360, debit/credit transaction amount 361 and a service code 362. The information records 747, 748 and the like in 749 are freely read and one-time written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password.

Detailed Description Text (57):

FIG. 20 shows the layout of files related to the regulated performance of the machine associated with the particular smart machine card. The directory of regulatory performance records stored on the smart machine card 750b contains the number of regulatory agencies or organizations of the machine 751 and the respective number of regulation areas such as 752 and 753. The number of regulatory agencies or organizations of the machine 751 is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. Each regulation area such as 752 and 753 contains four main files describing the aspects related to the regulation monitored by the agency with respect to the machine's operation, maintenance/service or performance, namely regulator's identification information and regulation that apply to the machine 754, number of compliance records 755, regulators password 756, and the compliance records of the respective number given by 755. These records were detailed in FIG. 10. The regulator's identification information and regulation that apply to the machine 754 include regulator's

identification code 400, machine identifying code in regulatory records 401, applicable regulatory articles 402. The information stored in 754 is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. The number of compliance records 755 contains the number of records of compliance or uncompliance are associated with this particular regulator 752 with respect to the machine. The regulator's password 755b is read-privileged and multiply-written with proper privileges when done by the issuer or an authority designated by the issuer using a proper password. The number of compliance records 758 indicates how many compliance transactions are associated with regulator's area 752 are recorded on the smart machine card. Each record, such as 756 and 757 comprises information detailed earlier in FIG. 10, and, specifically this information includes: regulation code 404, compliance amount 405, date/time of the transaction 406, date/time of compliance 407 and examiner identification code 408. The compliance records 756, 757 and the like in 758 are freely read and one-time written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password.

Detailed Description Text (58):

FIG. 21 shows the layout of files related to the warranty/insurance associated with the machine as stored on the smart machine card. The directory of warranty/insurance records stored on the smart machine card 770 contains the number of warranty/insurance grantors to the machine 771 and the respective number of warranty/insurance areas such as 772 and 773. The number of warranty/insurance grantors to the machine 771 is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. Each warranty/insurance area such as 772 and 773 contains four main files describing the aspects related to the warranty/insurance records with respect to the machine's operation, maintenance/service or performance, namely information on the nature of the warranty/insurance given by the grantor with respect to the machine 774, number of warranty/insurance transaction records stored on the smart machine card 775, warranty/insurance's grantor password 776, and the warranty/insurance transaction records stored on the smart machine card. These records were detailed in FIG. 11. The warranty/insurance granted to the machine 774 includes: the grantor's identification code 450, starting date for the warranty/insurance 451, expiration date for the warranty/insurance 452, warranty/insurance inclusion codes 453, and warranty/insurance exclusion codes 454. The information stored in 774 is freely read and multiply written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password. The number of warranty/insurance transactions records stored on the smart machine card 775 contains the number of warranty/insurance related transaction records provided with this particular warranty/insurance grantor 772 with respect to the machine(s). The warranty/insurance grantor's password 775b is read-forbidden and multiple-writings with proper privileges is allowed when done by the issuer or an authority designated by the issuer using a proper password. The number of warranty/insurance transactions records 778 indicates the number of recorded warranty/insurance transactions provided by the grantor. Each such record, such as 776 and 777 consists of information detailed earlier in FIG. 11, and, specifically this information includes: warranty/insurance service code 456, date and time of the transaction 457 and provider identification code 458. The warranty/insurance transactions records 776, 777 and the like in 778 are freely read and one-time written with proper privileges. The writing can be executed by the issuer or an authority designated by the issuer using a proper password.

Detailed Description Text (65):

In the following applications, one could employ human resources to achieve the recording/retrieving task. However, increased efficiency, accuracy and productivity can be achieved by employing the proposed specialized smart machine card. It should be appreciated that the smart machine card offers unique features over the state-

- of-the-art of transactions recording and retrieval. These can be summarized as:
Mobility. The smart machine card is a miniature computer that can be physically transported effortlessly. Handling. The smart machine card is as easy to handle as a credit card. The servicing hardware and software of the card give it the unique utility described here. Cost. The smart machine card is only slightly more expensive than ordinary magnetic cards. The hardware used to interface to the card is far cheaper than that needed for a computer interface. Functionality. The smart machine card can serve both as a compact/convenient note-book, and as an active device when used for alerting for overdue service transactions. Even when serving as a notebook, the smart machine card is able to record, at current memory capacity, about 4 pages of text.

Detailed Description Text (68):

Motor vehicles play a central role in modern life. The costs of purchasing, operating and maintaining a motor vehicle are significant. However, there are no convenient means for the owner of a motor vehicle to record/retrieve transactions that involve a private vehicle. Some dealerships and service agents may maintain their own records of transactions involving a particular vehicle that they have serviced, but the information is not complete, standardized or immediately available to the vehicle's owner. Moreover, motor vehicle owners service their cars at diverse outlets depending on the vehicle needs, their budget, etc.

Detailed Description Text (69):

The smart machine card facilitates automatic recording of vehicle transactions on a card that belongs to the owner and is physically available for information retrieval upon demand (to be designated as a smart motor vehicle card). Using the smart motor vehicle card the owner is able to record the transactions into categories that reveal the expenses, amounts involved and a comprehensive status of the motor vehicle. More specifically, categories such as operational, maintenance/service, warranty/insurance, regulation compliance and debit/credit. Financial saving and operational efficiency of the vehicle can be achieved using the smart motor vehicle card.

Detailed Description Text (71):

A simpler smart motor vehicle card operation environment will require the vehicle owner to hand over the smart motor vehicle card 4005 to the point-of-service operator to record transactions via a point-of-service smart card interface similar to 4006. Thus, reducing the vehicle's owner/operator involvement to physically carrying the smart motor vehicle card.

Detailed Description Text (72):

In addition to maintaining records of motor vehicles owned by individuals, smart motor vehicle cards can be used to record and retrieve information on motor vehicle, bus, rental, truck, military, heavy equipment fleets. In this case substantial enhancement in full record keeping translates into financial savings to the owners in addition to enhanced resource management.

Detailed Description Text (74):

Motor, jet and sailboats constitute another type of machinery that would benefit from this invention. Currently, the records of boat transactions are not kept in a straightforward effortless way, thus requiring the owner/operator to track all transactions and maintain records of diverse sources of information. A smart boat (s) card considerably simplifies the record keeping of transactions involving the boat. A method of operation similar to that described in FIG. 27 can readily be employed for boats.

Detailed Description Text (76):

Airplanes and helicopters often require high cost maintenance and repair, and are subject to frequent operational and service transactions. Current record keeping of these transactions is managed on paper forms or electronic databases. For the owner

- of a small plane, a smart airplane card is more convenient and allows transparent record keeping and easy information retrieval. A method of operation similar to that described in FIG. 27 can readily be adapted by airplanes and helicopters.

Detailed Description Text (78):

Hospitals and medical offices use considerable material resources in performing their day-to-day operations. Tools and devices used in these operations are often expensive and require specific handling procedures. Currently, considerable human investment is required to keep track of the transactions associated with handling of these devices; thus leading to increased material waste in the operation of these devices and costly labor investment. By employing a smart device card it is possible to effortlessly record/retrieve information on transactions in the life-time of a device and improve the tracking of the use of devices. Operation efficiency, cost and safety can increase from the proposed method of record keeping.

Detailed Description Text (80):

Hospitals and medical offices employ also very expensive instruments such as CAT scanners, magnetic resonance imaging (MRI) scanners, electronic microscopes, etc. that contribute directly to their high cost of operation. A smart instrument card, whether attached to the machine or separately kept can lead to more convenient full record keeping of transactions involving these instruments. Operational transactions on this expensive machinery are of considerable importance and are often manually or electronically recorded. A smart instrument card can simplify and automate the recording/retrieval of the transactions involving such instruments.

Detailed Description Text (82):

The modern office commonly employs several pieces of machinery/equipment that are used for day-to-day operations. Photocopiers, computers, fax machines, scanners, printers, etc. are integral to its operations. Currently, records of maintenance or operational transactions of these pieces of equipment are kept on paper records or by the servicing agent of each machine. A smart equipment card can efficiently support recording/retrieving information on transactions involving the office equipment. For example, a smart equipment card can record all servicing transactions for all machines in the office as illustrated in FIG. 28.

Detailed Description Text (83):

In FIG. 28 an office set up with equipment such as a photocopier 4110, printer 4111, scanner 4112, fax machine 4113 and computer 4114 is provided. A servicing agent for one of these machines has a computer 4101 that is equipped with a transceiver 4102 that communicates via a wireless link 4103 or possibly a landlink with the office records unit 4100. The office records unit 4100 holds a smart office card 4105, smart card interface 4106, computer 4107, transceiver 4108 and can be additionally accessed through a user interface 4109. A servicing agent for one of these machines initiates an event of recording/retrieving information that is carried out on the office records unit 4100 in the manner described in the body of this invention.

Detailed Description Text (84):

Alternatively, an embodiment that minimizes the hardware of the office records unit 4100 can include just a smart office card interface 4106 that is physically used by an agent employing a computer 4101 to record information on the smart office card 4120 through a smart card interface 4121.

Detailed Description Text (86):

The workplace, from a workshop to factory, is often host to numerous tools and pieces of equipment. Tools as small as a screwdriver and as complex as a paper-mill, printing machine, robot-operated assembly line have significant roles in the workplace. A smart workplace card allows record keeping of the significant events that a tool or a machine undergo. On one hand, a simple tool such as a screwdriver

- requires very few records (e.g., identification, warranty, and regulation information). On the other hand a complex machine in an assembly line can easily take advantage of the information categories proposed for classification of events or custom design a smart workplace card to efficiently save its particular records of operation. An analogous set-up to that described for an office in FIG. 28 can easily achieve this goal.

Detailed Description Text (88):

A house probably consumes the most expenditures in modern life. It includes appliances, furniture items and is composed of material objects that need periodic servicing (such as roofs, A/C and heat units etc.). Currently, tracking the records of transactions of the house items if done by the owner and requires efforts in recording and retrieving this information. An analogous set up to that described for an office in FIG. 28 can easily achieve this goal and make record keeping effortless.

CLAIMS:

1. A machine maintenance data card for recording machine maintenance events said machine maintenance data card comprising: machine identification data files identifying at least one specific machine, said machine identification data files being write Protectable, thereby, selectively preventing said machine identification data files from being altered; maintenance event data files containing a permanent history of maintenance event information for each said at least one specific machine, said maintenance event data files being write-once, read-many; maintenance scheduling files identifying regularly scheduled maintenance for said machine; entity identification data files which identify a specific entity and a relationship of said specific entity to said at least one specific machine, said entity identification data files being write privileged, thereby permitting selective writing to said entity identification files; and compliance records indicating whether regularly scheduled maintenance has been performed on said at least one specific machine responsive to said permanent history.
5. A machine maintenance data card for recording machine maintenance events said machine maintenance data card comprising: machine identification data files identifying at least one specific machine, said machine identification data files being write Protectable, thereby selectively preventing said machine identification data files from being altered; maintenance event data files containing a permanent history of maintenance event information for each said at least one specific machine, said maintenance event data files being write-once, read-many; regulatory compliance scheduling files identifying regulatory compliance events for said machine; entity identification data files which identify a specific entity and a relationship of said specific entity to said at least one specific machine, said entity identification data files being write privileged, thereby permitting selective writing to said entity identification files; and regulatory compliance records indicating whether regulatory compliance events have been performed on said at least one specific machine responsive to said permanent history.

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)